

## F. Atlee Dodge

C #	STC's for Piper Aircraft	J3	PA-11	PA-12	PA-14	PA-18	PA-19	PA-20	PA-22
SA00092SE	30.5 gallon fuel tanks manufactured and installed.								
SA00132SE	Fabrication of F. Atlee Dodge aft fuselage weld-on fittings for the mounting of Edo Model 89-2000			X	X				
SA02007AK	Installation of main landing gear long step no. 3195.	X	X	X	X	X	X		
SA02011AK	Installation of Structural Provisions for a Fuselage Top Deck X-brace					X	X		
SA02379AK	Installation of Structural Provisions for a Fuselage Top Deck X-brace			X					
SA02419AK	Installation of Structural Provisions for a Cathedral Style Ceiling			X					
SA02021AK	Wing Spar Lift Strut Reinforcement			X	X				
SA02023AK	Heavy Duty Muffler					X			
SA02024AK	Fabrication of F. Atlee Dodge part no. 3236 muffler shroud assembly.					X			
SA02025AK	Fabrication of F. Atlee Dodge part no. 3182 preheater shroud assembly.					X			
SA02026AK	Wing Spar Lift Strut Reinforcement					X	X		
SA02040AK	Stainless Steel Vented Fuel Cap		X	X	X	X		X	X
SA02043AK	Fabrication and installation of pilot's seat belt attachment brackets.		X			X			
SA02056AK	Fabrication of Replacement Rudder Assembly (P/N 3216).					X			
SA02058AK	Fabrication of Replacement Stabilizer Assembly (P/N 3219). (STC NO LONGER SUPPORTED)					X			

SA02060AK	Fabrication of Replacement Stabilizer Assembly (P/N 3219). (STC NO LONGER SUPPORTED)					X			
SA02066AK	Fabrication of Aircraft Tiedown Bracket Assembly (P/N 3197).					X			
SA02067AK	Aircraft Wing Tie Downs			X					
SA02085AK	Modification to front seat to allow seat back to fold forward.					X	X		
SA02418AK	Installation of the Piper PA-18 Front Seat Base onto a Piper PA-12 series fuselage frame			X					
<b>STC #</b>	<b>STC's for Piper Aircraft</b>	<b>J3</b>	<b>PA-11</b>	<b>PA-12</b>	<b>PA-14</b>	<b>PA-18</b>	<b>PA-19</b>	<b>PA-20</b>	<b>PA-22</b>
SA02094AK	Fabrication and Installation of the F Atlee Dodge Rear Seat Heater.					X			
SA02115AK	Fabrication and installation of 30.5 gallon wing fuel tank sight gages.					X			X
SA02152AK	Fabrication and installation of F. Atlee Dodge 3-inch extended Main Landing Gear, P/N 3284.					X			
SA4621NM	Fabrication and installation of P/ N 3164-1 main landing gear shock strut assemblies.					X			
SA4620NM	Fabrication and installation of P/ N 3164-2 main landing gear shock strut assemblies.					X			
SA02156AK	Fabrication and installation of a lightweight battery rack under pilot's seat.					X	X		
SA02188AK	Fabrication and installation of p/ n 3284 three-inch extended PA-18 type main landing gear, together			X	X				
SA02189AK	Fabrication and installation of p/ n 3344A main landing gear safety cable kit for 3-inch extended					X			
SA02190AK	Fabrication and installation of p/ n 3344A main landing gear safety cable kit for 3-inch extended				X				

SA02231AK	Installation of Cleveland Main Wheels and Brakes.	x	x	x	x	x			
SA02273AK	Hot Rod Muffler and Shroud					x			
SA02316AK	Installation of 8.50-6 and 8.50-10 Tires	x	x	x	x	x	x		
SA02356AK-D	Fabrication and Installation of F. Atlee Dodge Aircraft Services PN 6151 Rear "Safari" Seat					x			
SA02358AK-D	Fabrication and Installtion of F. Atlee Dodge Aircraft Services P/ N 6003-RH Oil Cooler Mount and/or 6020 Alternator Mount and/or 6018-LH Oil Cooler Mount								
SA02379AK	Installation of Structural Provisions for a Fuselage Top Deck X-brace			x					
SA02421AK	Installation and Rigging of F. Atlee Dodge Model F.A. DODGE X-1 Wheel Replacement Skis					x			
SA02433AK	Installation of F. Atlee Dodge Oversize and/or Elevators			x	x	x	x		
SA02436AK	Installation of F. Atlee Dodge Inverted Dogleg								
SA02439AK	Installation of F. Atlee Dodge Extended Baggage (Weld In)								
SA02452AK	Installation of F. Atlee Dodge Aircraft Services Pilots Safety Barrier Net								
SA02488AK	Fabrication and Installation of Weld-on Shoulder Harness Brackets								
SA143AL	Installation of Enlarged Fixed Instrument Panel					x			
SA144AL	Installation of Remote Compass Bracket	x	x	x	x	x	x	x	x
SA2040AK	Installation of vented fuel cap assembly (P/N 3267).								
SA2067AK	Fabrication of Aircraft Tiedown Bracket Assembly (P/N 3197).								

SA2303NM	Replacement Front & Rear Header Tanks					X	X		
SA2346NM	Installation of landing gear fueling step.	X							
SA2347NM	Installation of landing gear fueling step.	X							
SA2348NM	Installation of landing gear fueling step.	X							
SA2349NM	Installation of landing gear fueling step.								
<b>STC #</b>	<b>STC's for Piper Aircraft</b>	<b>J3</b>	<b>PA-11</b>	<b>PA-12</b>	<b>PA-14</b>	<b>PA-18</b>	<b>PA-19</b>	<b>PA-20</b>	<b>PA-22</b>
SA262AL	Installation of 6x6x44 fish pole tube.	X	X	X	X	X			
SA301AL	Installation of AD 2500x10.5 wheel replacement skis and rigging.					X	X		
SA302AL	Installation of AD 2500x10.5 wheel replacement skis and rigging.	X	X						
SA354AL	Installation of AD 2500x10.5 wheel replacement skis and rigging.								
SA355AL	Installation of AD 2500x10.5 wheel replacement skis and rigging.			X					
SA356AL	Installation of AD 2500x10.5 wheel replacement skis and rigging.				X				
SA3600NM	Installation of landing gear fueling step.								
SA3601NM	Installation of landing gear fueling step.								
SA3602NM	Installation of landing gear fueling step.			X					
SA3603NM	Installation of landing gear fueling step.				X				
SA3604NM	Installation of landing gear fueling step.								
SA3605NM	Installation of landing gear fueling step.								
SA3606NM	Installation of landing gear fueling step.					X	X		

SA3607NM	Installation of landing gear fueling step.							X	
SA3608NM	Installation of landing gear fueling step.								X
SA455AL	Installation of PA-18 fuel system.	X	X						
SA456AL	Installation of PA-18 wing lift struts.	X	X						
SA457AL	Forward fuselage structural changes to PA-11 configuration. Approval is limited to those Piper	X							
SA458AL	Installation of PA-18 horizontal stabilizer trim system.	X	X						
SA459AL	Installation of PA-18 baggage compartment. Approval is limited to those Piper J3C-65 and -65S	X							
SA4606NM	Installation of main landing gear safety cable kit.					X	X		
SA4607NM	Installation of main landing gear safety cable kit.			X					
SA5-33	PA-18 Control Surfaces Contact Anne Wilbur (907-250-2641	X	X	X	X				
<b>STC #</b>	<b>STC's for Piper Aircraft</b>	<b>J3</b>	<b>PA-11</b>	<b>PA-12</b>	<b>PA-14</b>	<b>PA-18</b>	<b>PA-19</b>	<b>PA-20</b>	<b>PA-22</b>
SA4609NM	Installation of main landing gear safety cable kit.	X	X						
SA460AL	Installation of PA-18 pitot-static system.	X	X						
SA4615NM	Fabrication and installation of welded steel universal aft fuselage float strut attachment fittings.	X	X			X	X		
SA4616NM	Fabrication and installation of P/ N 3166-2 main landing gear cabane vee assembly.			X					
SA4617NM	Fabrication and installation of P/ N 3166-2 main landing gear cabane vee assembly.				X				

SA4618NM	Fabrication and installation of P/N 3166-1 main landing gear cabane vee assembly.						x			
SA4619NM	Fabrication and installation of P/N 3164-2 main landing gear shock strut assemblies.									
SA461AL	Installation of PA-18 landing gear cabane.	x	x		x					
SA4624NM	Installation of F. Atlee Dodge springs 2097 and 2127 to replace bungee cords on ski equipped	x	x	x	x	x	x	x	x	x
SA462AL	Installation of PA-18 front seat.	x	x							
SA4635NM	Modification of wing lift struts.									
SA463AL	Installation of PA-18 elevator control system.	x	x							
SA464AL	Installation of PA-18 rear seat. Approval limited to those Piper J3C-65 and J3C-65S aircraft which	x								
SA465AL	Installation of PA-18 boot cowl and windshield.	x								
SA4AL	Installation of auxiliary wing fuel tanks.									
SA505AL	Installation of landing gear safety cables.					x				
SA5781NM	Installation of Model 3140-516 30.5 gallon wing fuel tanks.			x	x					
SA590AL	Install extended baggage compartment.						x			
<b>STC #</b>	<b>STC's for Piper Aircraft</b>	<b>J3</b>	<b>PA-11</b>	<b>PA-12</b>	<b>PA-14</b>	<b>PA-18</b>	<b>PA-19</b>	<b>PA-20</b>	<b>PA-22</b>	
SA638AL	Fabricate and Install rudder mounted strobe light support bracket.					x	x			
SA649AL	Fabricate and install 30.5 gallon wing fuel tanks.					x				
SA681AL	Installation of removable crossbar.					x	x			
SA02236AK	Fabrication and installation of F. Atlee Dodge Heavy Duty Standard Length Main Landing Gear	x	x			x	x			

SA701AL	Installation of skis.								
SA702AL	Installation of skis.								
SA703AL	Installation of skis.								
<b>STC #</b>	<b>STC's for Cessna Aircraft</b>	<b>180</b>	<b>182</b>	<b>185</b>	<b>188</b>	<b>206</b>	<b>207</b>	<b>210</b>	
SA02319AK	Fabrication and Installation of Windsheild V-brace	x							
SA02333AK	Fabrication and Installation of F. Atlee Dodge P/N 8008 Firewall Battery Box	x	x	x					
SA02359AK-D	Fabrication and Installation of F. Atlee Dodge Aircraft Services Cessna Tie Down Clamp Assemblies								
SA2325NM	Installation of F. Atlee Dodge filler neck adapter. (180K UP TO S/N 18053203)	x							
SA2326NM	Installation of F. Atlee Dodge filler neck adapter. (182Q UP TO S/N 18266590) (R182 UP TO S/N R18200)		x						
SA2327NM	Installation of F. Atlee Dodge filler neck adapter. (A185F UP TO S/N 18504424)			x					
SA2328NM	Installation of F. Atlee Dodge filler neck adapter. (188B UP TO S/N 18803296 WING TANKS ONLY)				x				
SA2329NM	Installation of F. Atlee Dodge filler neck adapter. (TP206E UP TO S/N P20600649) (TU206G UP TO S/N U)					x			
SA2330NM	Installation of F. Atlee Dodge filler neck adapter. (T207A UP TO S/N 20700788)						x		
SA2331NM	Installation of F. Atlee Dodge filler neck adapter. (T210F UP TO S/N T210-0197) (210F UP TO S/N 2105)							x	
SA3632NM	Installation of F. Atlee Dodge reduced diameter filler neck adapter. (WITH CESSNA FUEL CAP ADAPTER)								

SA3636NM	Installation of F. Atlee Dodge reduced diameter filler neck adapter. (WITH CESSNA FUEL CAP ADAPTER)		x*	x*	x*				
<b>STC #</b>	<b>STC's for Cessna Aircraft</b>	<b>180</b>	<b>182</b>	<b>185</b>	<b>188</b>	<b>206</b>	<b>207</b>	<b>210</b>	<b>170 172 175</b>
SA3637NM	Installation of F. Atlee Dodge reduced diameter filler neck adapter. (206 WITH CESSNA FUEL CAP)					x*			
SA3639NM	Installation of F. Atlee Dodge reduced diameter filler neck adapter. (185 WITH CESSNA FUEL CAP)								
SA3640NM	Installation of F. Atlee Dodge reduced diameter filler neck adapter. (188 WITH CESSNA FUEL CAP)								
SA02008AK	Fabrication and installation of left-hand or right-hand removable folding jump seat, or both.	x	x	x					x
SA02041AK	Fabrication and installation of exhaust deflector assembly(P/N 3238).					x			
SA02088AK	Fabrication and installation of a boarding ladder equipped with EDO Float Model 582-3430.					x			
SA02231AK	Cleveland Wheel & Brake Kits <b>WILL NOT WORK WITH C172 TUBULAR LANDING GEAR</b>	x	x	x					x
	<b>* with fuel cap adapter 0721306</b>								
<b>STC #</b>	<b>STC's for DHC2</b>								
SA3617NM	Installation of floor attachments for seat belt/cargo tie-down attach.								
SA4613NM	Fabrication and installation of Center Row Folding Seat								



SA02133AK	Installation of Front Fuselage Strut Assembly fabricated per F. Atlee Dodge Master Data Sheet,								
<b>STC #</b>	<b>STC's For Maul Aircraft</b>	M-5 180C	M-6 235	MX-7 180	MX-7 235				
SA02256AK	Installation of F. Atlee Dodge weld on float fittings.	x	x	x	x				